ORIGINAL TO GENERAL FILES

D.O.T. 66

DEPARTMENT OF TRANSPORTATION STATE OF GEORGIA

INTERDEPARTMENT CORRESPONDENCE

FILE

EDS-441(45) Putnam County

OFFICE Preconstruction

P. I. No. 222580

DATE

June 19, 1997

FROM

C. Wayne Hutto, Assistant Director of Preconstruction

TO

SEE DISTRIBUTION

PROJECT CONCEPT REPORT APPROVAL **SUBJECT**

Attached for your files is the approval for subject project.

CWH/cj

Attachment

DISTRIBUTION:

Walker Scott

Bobby Mustin

David Studstill (ATTN: Harvey Keepler)

Jerry Hobbs

Herman Griffin

Marta Rosen (ATTN: Michael Henry)

Marion Waters

Toni Dunagan

Paul Liles

Jim Hitt (Traffic Ops)

Jim Kennerly

Charles Norris

DEPARTMENT OF TRANSPORTATION STATE OF GEORGIA

INTERDEPARTMENT CORRESPONDENCE

FILE

EDS-441(45) Putnam County

OFFICE Preconstruction

P.I. No. 222580

DATE

June 5, 1997

FROM

., P.E., Director of Preconstruction

TO

Wayne Shackelford, Commissioner

SUBJECT PROJECT CONCEPT REPORT

This project is the widening and reconstruction of US 441/SR 24 from the Eatonton Bypass at Reids Road to the Morgan County line for a total of 14.40km. The existing roadway consists of 2, 3 and 4 lanes with rural shoulders. The existing right-of-way varies from 18.0m to 30.0m. There are no major structures within the project limits. This project is part of the Governor's Road Improvement Program (GRIP) and involves the multi-laning of SR 24 along the US 441 corridor. Moreover, the roadway is reaching capacity and improvements will be required to maintain an acceptable level of service. This project is on a proposed bicycle route as identified in the Georgia Statewide Bicycle and Pedestrian Plan. The base year traffic (2001) varies from 8,150 - 11,500 VPD and the design year traffic (2021) varies from 14,600 - 19,550 VPD. The posted speed is 90km/h and the design speed is 105km/h.

The proposed construction will provide two, 3.6m lanes in each direction separated by a 13.6m depressed grassed median for the entire project length. This project will include 2.4m paved shoulders including a 1.2m bike lane on both sides for the entire project length. The proposed right-of-way is 80.0m. Approximately 60% of the existing roadway requires reconstruction. No design exceptions are required to implement this project. The northern terminus of this project ties to project EDS-441(44) Morgan County, with a similar typical section. Traffic will be maintained utilizing stage construction.

Environmental concerns include requiring a COE 404 permit; an A.R.P.A. permit may be required for the Oconee National Forest; 29 displacements -- 13 residences, 10 mobile homes, and 6 businesses; an Environmental Assessment will be prepared; a public hearing will be held; time saving procedures are not appropriate.

Wayne Shackelford Page 2

EDS-441(45) Putnam June 5, 1997

The estimated costs for this project are:

6 1 1 F0		PR	OPOSED	APF	PROVED	PROG DA	TE LET	DATE
Construction and infla	includes E&C tion)	\$1	3,717,000	\$13,	,786,000	2000	L	R
Right-of-Wa	ny	\$4	,809,000	\$ 1.	,150,000			
Utilities		\$	411,000	\$	411,000			

The US 441 improvements are part of the GRIP. I recommend this project concept be approved.

WWS:JDQ/cj

Attachment

CONCUR_

Frank L. Danchetz, P.E., Chief Engineer

APPROVE_

Wayne Snackelford, Commissioner

DEPAREMENT OF TRANSPORTATION STATE OF GEORGIA

INTERDEPARTMENTAL CORRESPONDENCE

FILE:

EDS-441(45) PUTNAM

P.I. Number 222580

OFFICE: Atlanta, Georgia

DATE:

APRIL 2, 1997

FROM:

Bob Mustin, Project Review Engineer

TO:

C. Wayne Hutto, Assistant Director of Preconstruction

SUBJECT: PROJECT CONCEPT REPORT

We have reviewed the concept report submitted March 26, 1997 by the letter from David Studstill dated March 24, 1997 and have no comments.

The estimated costs for the project are as follows:

Construction \$ 11,336,000 Inflation \$ 1,134,000 E & C \$ 1,247,000 Right of Way \$ 4,809,000 Reimbursable Utilities \$ 411,000

DTM

c: David Studstill

DEPARTMENT OF TRANSPORTATION STATE OF GEORGIA

INTERDEPARTMENT CORRESPONDENCE

N RECEIVED

MAR 26 1997

PRECONSTRUCTION

nt/Location

FILE

EDS-441(45)

Putnam County

P.I. No.: 222580

OFFICE Environment/Location

DATE March 24, 1997

FROM

David E. Studstill, P.E., State Environment/Location Engineer

TO V

Wayne Hutto, Assistant Director of Pre-Construction

SUBJECT Concept Report - US 441 Improvements

In accordance with the Plan Development Process, the concept report for the above project is attached for your review and processing.

If there are questions please contact Roxana Ene at 404-699-4464.

DES/RRE

Attachments

cc: Bobby Mustin, Project Review Engineer

James Kennerly, State Road and Airport Design Engineer

Marion Waters, State Traffic Operations Engineer

Charles Norris, Tennille District Engineer

DEPARTMENT OF TRANSPORTATION STATE OF GEORGIA OFFICE OF ENVIRONMENT/LOCATION

PROJECT CONCEPT REPORT EDS-441(45) PUTNAM COUNTY P.I. NO. 222580

211	Rou	ıta	No	
U.S	KUL	"	NO	

441

Date of Report:


March 3, 1997

State Route No.:

24

RECOMMENDATION FOR APPROVAL

7/13/97 Date	State Environmental/Location Engineer
Date	State Road & Airport Design Engineer
Date	State Traffic Operations Engineer
Date	District Engineer/Tennille
Date	Project Review Engineer
 Date	State Bridge & Structural Design Engineer



PROJECT CONCEPT REPORT

PROJECT NUMBER: EDS-441-(45) PUTNAM COUNTY

PROJECT LOCATION AND DESCRIPTION

Project EDS-441(45) is the proposed improvement to the existing US441/SR24. This project proposes to widen the existing roadway from 2, 3 and 4 lanes to 4 with a 44 foot (13 m) grassed median. The project begins at Reids Road in Putnam County and extends north 9 miles (14.4 km) to the county line. At its beginning, the project holds the existing pavement left, widening to the right side of the road. Approximately 1 mile (1.6 km) north of CR177 concept shifts to hold the existing R\W left to avoid an historic boundary on the left. Just past the historic boundary (approx. 1 mile, 1.6 km, south of Hipp Rd.) the alignment shifts back and holds the existing pavement left. At Bethel Circle Road(CR148) the proposed alignment changes to the left side of the road and keeps this concept until Harmony Dr.(CR117) where the project holds the existing R\W right to avoid a historic boundary. Just north of this historic boundary (approximately 1000', 300 m, north of CR117) the concept shifts to the right side and holds the existing R\W left, to avoid another historic boundary. Just past the historic boundary (1000', 300 m, north of Griffith Rd., CR97) the project holds the existing pavement left widening to the right side of the road. The alignment avoids a cemetery, 3000'(900 m) south of Pierce Rd., by holding the left existing R\W and shifts back to hold the existing pavement left (1100', 330 m, south of Pierce Rd) to the end of project. The project ends at the Putnam - Morgan county line, where the next section(44) begins.

Design speed is 65 mph (105 km/h), the proposed ROW is 250' (80 m) for the 44' (13 m) median. Access control would be by permit. Less than 1 ac.(0.4 ha) of possible wetlands would be impacted. Thirteen houses, 10 trailers and 6 business would be displaced.

	TRA	AFFIC		
	CUI	RRENT	PRO	DJECTED
SECTION	YEAR	AADT	YEAR	AADT
JS 441 improvement	2001	8,150-11,500	2021	14,600-19,550
PDP CLASSIFICA	TION	FUNCTI	ONAL CLASSIF	ICATION
MAJOR/EXISTING		RURAL ARTERIAL		
NON-CA(x)	CA()	EXEMPT ()		N/A (x)

NEED AND PURPOSE

S.R. 24 is a primary north-south corridor in east Georgia. These proposed projects involve the widening and reconstruction of S.R. 24 from C.R. 245 in Putnam County northerly, to the southern terminus of the Watkinsville Bypass in Oconee County. The need and purpose of this project is twofold. First, the S.R. 24 Improvements are part of the Governor's Road Improvement Program (GRIP). The improvement involves the multi-laning of S.R. 24 along the U.S. 441 GRIP corridor. GRIP was initiated in the 1980's in order to address the importance of stimulating economic growth via an improved transportation network.

The second part of the need and purpose pertains to the highway capacity of S.R. 24. The roadway is reaching capacity and improvements will be required to maintain an acceptable level-of-service. The project will increase the capacity and level-of-service on S.R. 24 by widening it from two, three and four lanes to four lanes with a grassed median. The Average Daily Traffic (ADT), within the limits of EDS-441 (40,45,44,42,43), ranged between 4,800 to 12,100 in 1994. The 20 year (2013) projected volume ranges between 13,163 and 25,053 ADT. The Level of Service (LOS) for this section of S.R. 24 within the project limits was computed to be at "C" in 1994 which indicates that traffic flow may be susceptible to congestion and passing impediments. This road widening project will reduce traffic congestion and driver discomfort.

EXISTING ROADWAY					
TYPICAL SECTION:	2 and 3, and 4 - 3.6 m LANES WITH OPEN DITCH DRAINAGE	RIGHT-OF-WAY WIDTH varies from 18 m to 30 m			
POSTED SPEED	MINIMUM RADIUS OF CURVE	MAX GRADE			
90 km/h	554 m	4.00%			

PROPOSED LENGTH OF PROJECT: 14.4 km

WIDENING EXISTING US 441

TYPICAL SECTION: 4 LANES RURAL WITH 13.6 m MEDIAN

DESIGN SPEED	MINIMUM RADIU	JS OF CURVE	MAX. GRADE	
105 km/h	ALLOWABLE	466 m	ALLOWABLE	4.00%
	PROPOSED	582 m	PROPOSED	3.80%

NEW LOCATION

TYPICAL SECTION: 4 LANES RURAL WITH 13.6 m MEDIAN

DESIGN SPEED	MINIMUM RAD	OIUS OF CURVE	MAX. GRADE	
105 km/h	ALLOWABLE 466 m		ALLOWABLE 4.00%	
	PROPOSED	698 m	PROPOSED	3.80%

PROPOSED RIGHT-OF-WAY

RIGHT-OF-WAY WIDTH	PARCELS IMPACTED		DISPLACEMEN	NTS	
80 m	90	RES.:13	BUS.:6	M.H.:10	

COORDINATION

TYPE OF ACCESS CONTROL:

BY PERMIT.

CONCEPT TEAM MEETING DATE:

JUNE 20, 1996

PERMITS REQUIRED:

N.W.P. 26 PERMIT REQUIRED AND MAY NEED A.R.P.A. PERMIT

FOR OCONEE NATIONAL FOREST; LESS THAN 1 AC (0.4 HA) OF

WETLANDS AFFECTED.

LEVEL OF PUBLIC INVOLVEMENT:

PUBLIC HEARING

TIME SAVING PROCEDURES APPROPRIATE:

NO

OTHER PROJECTS IN THE AREA:

EDS-441(40); EDS-441(44)

MISCELLANEOUS

TRAFFIC CONTROL DURING CONSTRUCTION:

TRAFFIC TO BE MAINTAINED ON EXISTING ROADS.

LEVEL OF ENVIRONMENTAL ANALYSIS:

EA

UNDERGROUND STORAGE TANKS:

NONE KNOWN; INVESTIGATION REQUESTED 8/23/96

HAZARDOUS WASTE SITES:

NONE KNOWN; INVESTIGATION REQUESTED 8/23/96

DESIGN VARIATIONS REQUESTED:

	YES	NO	UNDETERMINED
SUBST HORIZ ALIGNMENT	()	(X)	()
SUBST ROADWAY WIDTH	()	(X)	()
SUBST SHOULDER WIDTH	()	(X)	()
SUBST VERTICAL GRADES	()	(X)	()
SUBST CROSS SLOPES	()	(X)	()
SUBST STOPPING SIGHT DIST	()	(X)	()

Page 6

ALTERNATIVES CONSIDERED: NO BUILD

ESTIMATED COST

CONSTRUCTION:	\$11,336,000	RIGHT-OF-WAY:	\$4,809,000
E & C (10%):	\$1,134,000	ACQUIRED BY:	D.O.T.
INFLATION:	\$1,278,000	UTILITIES:	\$410,600
(2 yrs at 5% per yr)	<u> </u>	ADJUSTED BY:	LGPA TO BE REQUESTED
TOTAL CONS'T COST:	\$13,748,000		

COMMENTS

- 1. TOTAL RECONSTRUCTION FOR THIS PROJECT IS 60%.
- 2. THE TWO PROJECTS EDS-441(45) AND EDS-441(44) ARE TO BE WORKED TOGETHER FOR PERMITTING AND ENVIRONMENTAL CONSIDERATIONS.

ATTACHMENTS: COST ESTIMATE, TYPICAL SECTIONS, TEAM MEETING MINUTES

PREPARED BY: ROXANA ENE, L.E. I

PRELIMINARY COST ESTIMATE OFFICE OF ENVIRONMENT/LOCATION

P.I. NO: <u>222580</u>	DATE: 08-27-1996
PROJECT NO: EDS-441(45)	
PROJECT NAME: US441/SR24 IMPROVEMENTS	
COUNTY: PUTNAM	
PROJECT DESCRIPTION:	
US441/SR24 IMPROVEMENTS FROM EATONTON	BYPASS TO
MORGAN COUNTY LINE	
PROJECT LENGTH: 9.000 MILES	SECTION LENGTH: 5.110 MILES
TYPICAL SECTION:	
RURAL WIDENING-2 TO 4 LANES WITH 44' DIV	MEDIAN (48' PAV'T)
PROPOSED R / $W = 250$ ft	
EVICTING DO A DAVAN (IC A	
EXISTING ROADWAY (If Applicable):	
2, 3 AND 4 LANES	
TRAFFIC: INITIAL DESIGN YEAR: 2001	DAILY VOLUME (AADT): 11,500
FINAL DESIGN YEAR: 2021	DAILY VOLUME (AADT): 19,550
COMMENTS:	
PREPARED BY: ROXANA ENE TE I	

PROJECT COSTS

A. RIGHT - OF - WAY		
1. PROPERTY (Land and Easements)	\$	0
2. DISPLACEMENTS	\$	0
3. OTHER COST	T &	0
SUBTOTA	T 2	
B. REIMBURSABLE UTILITIES		
1. RAILROAD	\$	0
2. TRANSMISSION LINES	\$.	0
3. SERVICES	5	
SUBTOTA	L <u>\$</u>	0
C. MAJOR STRUCTURES		
1. WALLS	\$	0
	-	
2. BRIDGE STREAM CROSSING	\$	0
	_	
3. BRIDGE OVER/UNDERPASS	\$	0
4. BOX CULVERTS	\$	0
SUBTOTA	L <u>\$</u>	0
D. CD ADDIC AND DD ADIA CE		
D. GRADING AND DRAINAGE		
1. EARTHWORK	\$	297,000
a. UNCLASSIFIED EXCAVATION SOIL 200,000 CY @ \$1.48	<u> </u>	251,000
b. UNCLASSIFIED EXCAVATION ROCK	\$	80,000
20,000 CY @ \$4.00		
c. BORROW EXCAVATION	\$	0
0 CY @ \$3.00		
2. DRAINAGE	j.	
a. MINOR DRAINAGE (Including Cross Drain Pipes & Longitudinal System)	\$	204,000
5.110 MILES @ \$39,960	— _č	0
b. CURB AND GUTTER	\$	0
0 LF @ \$9.27 SUBTOTA	AT ¢	581,000
SUBTOTA	7T 3	201,000

PROJECT COSTS con't.

E. BASE AND PAVING			
1. GRADED AGGREGATE BASE		\$	803,000
12.00" 64,754 T @ \$12.40			
2. ASPHALT PAVING		4	F02 000
a. ASPHALTIC CONCRETE "E"		\$	593,000
1.50" 18,416 T @ \$32.22 b. ASPHALTIC CONCRETE "B"		\$	783,000
2.00" 24,555 T @ \$31.87		Ψ	7037000
c. ASPHALTIC CONCRETE BASE		\$	893,000
7.00" 28,959 T @ \$30.85			
d. BITUMINOUS TACK COAT		\$	14,000
16,144 G @ \$0.85		8	
3. CONCRETE PAVING		\$	0
4. OTHER PAVING		\$	309,000
	SUBTOTAL	\$	3,395,000
F. LUMP ITEMS			
1. TRAFFIC CONTROL		\$	18,000
2. CLEARING AND GRUBBING		\$	728,000
155 ACRES @ \$4,700		• 5	
3. LANDSCAPING		\$	92,000
5.110 MILES @ \$18,000			
4. EROSION CONTROL		\$	123,000
5.110 MILES @ \$24,000		=:	
5. DETOURS (Including Temporary Bridges)		\$	0
	SUBTOTAL	\$	961,000
C MICCELL ANDOLIC			
G. MISCELLANEOUS		4	152 000
1. SIGNING/STRIPING		\$	153,000
5.110 MILES @ \$30,000		٠,	0
2. GUARDRAIL 0 LF @ \$11.46 + 0 Anchors @ \$1,326.82		\$	0
		٠,	170 000
3. OTHER 5.110 MILES @ \$25.100		\$	179,000
5.110 MILES @ \$35,100	CIDTOTAL		222 000
	SUBTOTAL	<u> </u>	332,000
H. SPECIAL FEATURES		\$	0
		4	

ESTIMATE SUMMARY

*				ON COST r mile)	7
A. RIGHT-OF-WAY	\$	0	\$	0	
B. REIMBURSABLE UTILITIES	\$	0	\$	0	
CONSTRUCTION COST S	<u>UM</u>	MARY			
C. MAJOR STRUCTURES	\$	0			
D. GRADING AND DRAINAGE	\$	581,000			
E. BASE AND PAVING	\$	3,395,000			
F. LUMP ITEMS	\$	961,000			
G. MISCELLANEOUS	\$	332,000		20	
H. SPECIAL FEATURES	<u>\$</u>	0			
SUBTOTAL CONSTRUCTION COST	\$	5,269,000	\$ 1,	,031,000	
E. & C. (10%)	\$	527,000			
INFLATION 2 yr(s) @ 5% per year	<u>\$</u>	594,000			
TOTAL CONSTRUCTION COST	\$	6,390,000	\$ 1	,250,000	
GRAND TOTAL CONSTRUCTION COST	\$	6,390,000	\$ 1	,250,000	

RURAL WIDENING-2 TO 4 LANES WITH 44' DIV MEDIAN (48' PAV'T)

PRELIMINARY COST ESTIMATE OFFICE OF ENVIRONMENT/LOCATION

P.I. NO: 222 58 0	DATE: 08-27-1996
PROJECT NO: EDS-441(45)	
PROJECT NAME: US441/SR24 IMPROVEMENTS	
COUNTY: PUTNAM	
PROJECT DESCRIPTION: US441/SR24 IMPROVEMENTS FROM EATONTON I TO MORGAN COUNTY LINE	BYPASS AT CR17
PRÖJECT LENGTH: 9.000 MILES	SECTION LENGTH: 3.900 MILES
TYPICAL SECTION:	
RURAL NEW LOCATION-4-LANES WITH 44' DIV	MEDIAN (48' PAV'T)
PROPOSED R / W = 250 ft	
EXISTING ROADWAY (If Applicable): 2 3 AND 4 LANES SECTION WITH OPEN DITCH D	RAINAGE
TID A FIELD.	
TRAFFIC: INITIAL DESIGN YEAR: 2001	DAILY VOLUME (AADT): 11,500
FINAL DESIGN YEAR: 2021	DAILY VOLUME (AADT): 19,550
(a)	
COMMENTS:	
DDED ADED DV. DOVANA ENIC TO I	
PREPARED BY: ROXANA ENE TE I	

PROJECT COSTS

A. RIGHT - OF - WAY		
 PROPERTY (Land and Easements) DISPLACEMENTS OTHER COST 	\$ \$ \$	0 0 0
SUBTOTAL		0
B. REIMBURSABLE UTILITIES		
1. RAILROAD 2. TRANSMISSION LINES 3. SERVICES	\$ \$	0 0 0
SUBTOTAL	, <u>\$</u>	0
C. MAJOR STRUCTURES 1. WALLS	\$	0
2. BRIDGE STREAM CROSSING	\$	0
3. BRIDGE OVER/UNDERPASS	\$	0
4. BOX CULVERTS	\$	0
SUBTOTAL	<u>\$</u>	0
D. GRADING AND DRAINAGE		*.
1. EARTHWORK a. UNCLASSIFIED EXCAVATION SOIL 140,000 CY @ \$1.54	\$	216,000
b. UNCLASSIFIED EXCAVATION ROCK	\$	56,000
14,000 CY @ \$4.00 c. BORROW EXCAVATION 0 CY @ \$3.00	<u>\$</u> _	0
2. DRAINAGE a. MINOR DRAINAGE (Including Cross Drain Pipes & Longitudinal System)	\$	320,000
3.900 MILES @ \$82,080 b. CURB AND GUTTER 0 LF @ \$9.27	\$	0
SUBTOTAL	L <u>\$</u>	592,000


PROJECT COSTS con't.

E. BASE AND PAVING			
1. GRADED AGGREGATE BASE		\$	1,103,000
12.00" 88,957 T @ \$12.40			
2. ASPHALT PAVING			
a. ASPHALTIC CONCRETE "E"		\$	381,000
1.50" 11,840 T @ \$32.22		<u> </u>	
b. ASPHALTIC CONCRETE "B"		\$	503,000
2.00" 15,787 T @ \$31.87		\$	1 264 000
c. ASPHALTIC CONCRETE BASE 7.00" 44,204 T @ \$30.85		\$	1,364,000
d. BITUMINOUS TACK COAT		\$	14,000
16,122 G @ \$0.85		<i>-</i>	
3. CONCRETE PAVING		Ś	0
4. OTHER PAVING		\$	337,000
4. OTHER I AVING	SUBTOTAL		
	SUBTUTAL	5	3,702,000
F. LUMP ITEMS		÷	
1. TRAFFIC CONTROL		\$	60,000
2. CLEARING AND GRUBBING		\$	555,000
118 ACRES @ \$4,700			
3. LANDSCAPING		\$	199,000
3.900 MILES @ \$51,000			
4. EROSION CONTROL		\$	187,000
3.900 MILES @ \$48,000		15	
5. DETOURS (Including Temporary Bridges)		\$	0
	SUBTOTAL	Š	1,001,000
	2223		
G. MISCELLANEOUS			
1. SIGNING/STRIPING		\$	144,000
3.900 MILES @ \$37,000		- 0,	
2. GUARDRAIL		\$	0
0 LF @ \$11.46 + 0 Anchors @ \$1,326.82			
3. OTHER		\$	628,000
3.900 MILES @ \$161,100		-)	
	SUBTOTAL	, <u>\$</u>	772,000
H. SPECIAL FEATURES		\$	0
II. SI ECIAL PEATURES		7	

ESTIMATE SUMMARY

	a		SECTION COST (per mile)
A. RIGHT-OF-WAY	\$	0	\$ 0
B. REIMBURSABLE UTILITIES	\$	0	\$ 0
CONSTRUCTION COST SI	U M	MARY	
C. MAJOR STRUCTURES	\$	0	
D. GRADING AND DRAINAGE	\$	592,000	X
E. BASE AND PAVING	\$	3,702,000	
F. LUMP ITEMS	\$	1,001,000	
G. MISCELLANEOUS	\$	772,000	
H. SPECIAL FEATURES	<u>\$</u>	0	
SUBTOTAL CONSTRUCTION COST	\$	6,067,000	\$ 1,556,000
E. & C. (10%)	\$	607,000	
INFLATION 2 yr(s) @ 5% per year	<u>\$</u>	684,000	
TOTAL CONSTRUCTION COST	\$	7,358,000	\$ 1,887,000
GRAND TOTAL CONSTRUCTION COST	\$	7,358,000	\$ 1,887,000

RURAL NEW LOCATION-4-LANES WITH 44' DIV MEDIAN (48' PAV'T)




TYPICAL CROSS SECTION IMPROVEMENTS TO U.S. 441 EDS_441(45) PUTNAM COUNTY

BETHEL CIRCLE RD. TO HARMONY DRIVE (CR 117)

NOT TO SCALE


NOTE: * EXISTING PAVEMENT WILL BE REMOVED IF VERTICAL RECONSTRUCTION REQ'D.



TYPICAL CROSS SECTION IMPROVEMENTS TO U.S. 441 EDS_441(45) PUTNAM COUNTY

SOUTH OF PIERCE RD. TO THE END OF PROJECT 1.6 km SOUTH OF HIPP RD. TO BETHEL CIRCLE RD. (CR 97) TO 0.9 km SOUTH OF PIED Rd. (CR 97) TO 0.9 km SOUTH OF PIED RD. TO 0.9 km SOUTH OF PIED RD. TO 0.9 km SOUTH OF PIED RD. (CR 97) TO 0.9 km SOUTH OF PIED RD. NOT TO SCALE


NOTE: * EXISTING PAVEMENT WILL BE REMOVED IF VERTICAL RECONSTRUCTION REQ'D.



TYPICAL CROSS SECTION IMPROVEMENTS TO U.S. 441 EDS-441(45) PUTNAM COUNTY

0.3 km NORTH OF HARMONY DR.(CR 117) TO 0.3 km NORTH OF GRIFFITH RD.(CR 97) 0.9 km SOUTH OF PIERCE RD. TO 0.33 km SOUTH OF PIERCE RD. 1.6 km NORTH OF C.R. 177 TO 1.6 km SOUTH OF HIPP RD.

NOT TO SCALE



HARMONY DR.(CR 117) TO 0.3 km NORTH OF HARMONY DR.(CR 117) EDS-441(45) PUTNAM COUNTY IMPROVEMENTS TO U.S. 441 TYPICAL CROSS SECTION NOT TO SCALE

DEPAL MENT OF TRANSPORT FION STATE OF GEORGIA

INTERDEPARTMENTAL CORRESPONDENCE

FILE

EDS-441(40,45,44,42,43) Baldwin, Putnam, Morgan, & Oconee County P.I. Numbers 222470, 222580, 222570, 222560, & 122660

OFFICE Environment/Location

DATE June 24, 1996

FROM

Roxana Ene, TE I, Location Engineer

TÖ

Distribution Below

SUBJECT CONCEPT TEAM MEETING MINUTES - US441\SR24 Improvements

On Thursday, June 20, 1996, at 1:30 p.m., a Concept Team Meeting for the proposed US441\SR24 improvement projects in Baldwin, Putnam, Morgan, and Oconee Counties was held in the conference room at the Office of Environment\Location. Representing Georgia Power was Charles L. Chapman. Wendell Dawson and Peter Mallory represented Oconee Co. In attendance from the City of Bishop was Mayor Nedra Johnson. State Representative Frank E. Stancil was also in attendance. Mike Reynolds, Kevin Hosey, Robert Reid and Willie L. Webb from the Office of Road Design were present. Pat Astin-Hand represented the Office of Right-of-Way. The Office of Planning was represented by Cindy VanDyke. Reba P. Scott from the Office of Programming was present. Representing Traffic Operations was Ken Estes. Terry Allgood represented the Walton EMC. In attendance from AT&T were Steve Puckett, Gary Jenkins and Damien Wilson. From NEGRDC were Jennifer Fire, Ruth Lessh and Adriane Wood from the MGRDC. District 1 was represented by Laland Owens and District 2 by David Griffith, Phillip Scarborough and Deborah Pennington. Warren Beverly, Gerald Welsh, Roxana Ene, Ken Thompson and Terry Dentmon of the Office of Environment/Location also attended.

The meeting was opened by Gerry Welsh of Location. He gave a brief description of the projects, explaining that the meeting was being held to discuss improvements to US441\SR24. The concepts were then described in detail by Roxana Ene.

Project EDS-441(40) is the proposed improvement to the existing US441/SR24. This project proposes to widen the existing roadway from 2 lanes to 4 with a 44 feet grassed median. The project begins in Baldwin Co. and extends north 10.4 miles to US129(SR44). At its beginning, the project extends the existing 5 ln.section to just north off the first bridge, where the concept begins transitioning to the 44'median. The concept would hold the existing pavement left, widening the right side of the existing road. Approx. 1 mile north of Cay road (CR245) the proposed alignment changes to the left side of the road to avoid a cemetery on the right side. Approx. 2200' north of Twin Bridges Road (CR72) the proposed alignment changes to the right side to avoid two historic boundaries. The proposed alignment changes to the left side of the road 4000' north of CR246 (Woodland Acres Rd.) to avoid impacting an historic boundary on the right side. Approx. 1200 ft. south of Crest View Rd. (CR247) the proposed alignment shifts left on new location, bridges the RR, avoids an historic boundary on the left side and goes back to widen

the existing road on the right side 1500' south of US129(SR44). The project ends at the Eatonton Bypass.

Design speed is 65MPH (100kph), proposed ROW is 250' (80m). Access control would be by permit. Less than 1 ac. of possible wetlands would be impacted. Seven houses, 2 commercial structures and 5 mobile homes would be displaced.

Project EDS-441(45) is the proposed improvement to the existing US441/SR24. This project proposes to widen the existing roadway from 2 lanes to 4 with a 44 feet grassed median. The project begins at Reids Road in Putnam County and extends north 8.87 miles to the county line At its beginning, the project holds the existing pavement left, widening the right side of the road. Approx. 1mile north of CR177 the concept begins to hold the existing R\W left to avoit an historic boundary on the left and 1400' north of Bethel Circle Road (CR148) the proposed alignment changes to the left side of the road to avoid an historic boundary (just north of Harmony Dr. on the right side of the road) and to minimize displacements. Just north of this historic boundary the concept shifts to the east side because of another historic boundary on the left side of the existing road and to avoid a cemetery on the same side. The project ends at the Putnam/Morgan County line, where the next section (44) begins.

Design speed is 65MPH (100kph), the proposed R/W is 250' (80m) for 44 ft. median. Access control would be by permit. Less than 1 acre of possible wetlands would be impacted. Thirty houses, 7mobile homes and 3 commercial structures would be displaced.

Project EDS-441(44) is the proposed improvement to the existing US441/SR24. This project proposes to widen the existing roadway from 2 lanes to 4 with a 44 feet grassed median. A 20 foot raised median would be used in some sections. The project begins at Putnam - Morgan County line and extends north 8.6 miles to Industrial Park Road (CR225). At its beginning, the project holds the existing pavement west, widening the east side to avoid a historic boundary on left. Approximately, 1000' south from CR204(Hilltop Rd.) alignment changes on the left side to minimize displacements and to avoid "Tucker family graves," an old historic monument. Approx. 2200' south of Pierce Dairy Road (CR121) the concept begins transitioning to a 20' raised median and ties into the existing 5 lane section. The project ends at Industrial Park Road (CR225).

Design speed is 65MPH (100kph), the proposed R/W is 250' (80m) for 44 foot median and 150' (46m) for the 20' raised median section. Access control would be by permit. No wetlands are impacted. Six houses, 1 commercial structure and 2 mobile homes would be displaced.

Project EDS-441(42) is the proposed improvements to the existing US441/SR24. This project proposes to widen the existing roadway from 2 lanes to 4 with a 44 feet grassed median. The project begins at the Madison Bypass and extends north approx. 7.72 miles to just north of the Apalachee River (Morgan-Occonee county line). The concept begins with a 20' raised median and approx. 800' north, the project starts transitioning in a 44' grassed median and holds the left existing R\W to avoid four historic boundaries on the left side of the existing road. Just north of the four historic boundaries the concept holds the left existing pavement widening to the right side. The alignment shifts to the left side 2300' south of CR174 (V.F.W. Lane) and shifts back to the right side 1500' north of CR174 to minimize displacements. The concept would hold the right side to a point 1500' south of CR170 (Apalachee Rd.) where it would shift approximately 600' left

to avoid two historic boundaries and the Southern Railway. Approx. 1000' south of CR177(Sidwell Road.), the project goes back to widen the right side of the existing road and holds this alignment to the end of the project just past the Apalachee River.

Design speed is 65MPH (100kph). The proposed R/W is 250' (80m) for 44 ft. median and 150' for 20' raised median. Access control would be by permit. Approx. 15.72 ac. of possible wetlands would be impacted. Nine houses, 1 commercial structure and 2 barns would be displaced.

Project EDS-441(43) is the proposed improvement to the existing US441/SR24. This project proposes to widen the existing roadway from 2 lanes to 4 with a 44 feet grassed median. The project begins just north of Apalachee River (Morgan/Oconee County line) and extends north for 9.47 miles. At its beginning, the concept would widen the east side of the road. Approx. 2500' north of the beginning of the project the alignment would shift left and hold this alignment to approx. 2000' north of CR116 (Tappan Spur Rd.) where the concept would change to hold the right side of the existing R/W to avoid the RR and historic boundaries at CR267 (Salem Rd.). Approx. 1700' north of CR110 (Old Farmington Rd.) the alignment would shift right to avoid an historic boundary on the left. The alignment would shift left 500' north of the historic boundary. Approximately1300' south of CR127 (Astondale Rd.) the concept would shift 500' left to minimize impacts with the City of Bishop and the Southern Railway. Approx. 1500' north of CR265 (Price Mill Rd.) the alignment would go back to widen the existing road on the left and hold this alignment to the end of the project.(approx. 2000' north off CR107 - Thomas Farm Rd.)

Design speed is 65MPH (100kph). The proposed R/W is 250' (80m) for 44 ft. median. Access control would be by permit. Less than 1 ac. of possible wetlands would be impacted. Ten houses, 2 commercial structures and 4 trailers would be displaced.

After review and description of the concepts, those in attendance were asked for their questions and comments.

COMMENTS:

Local Officials

Chairman of Oconee Co. asked about the schedule for these projects and if there is any priority. Answered that the schedule is late 1999, depending of the funding, and there is no priority. The Chairman also mentioned an additional commercial site north of Bishop not shown on the photography, expensive to relocate.

The Mayor of Bishop asked to consider another alternative to bypass Bishop on the southeast side, where the railroad is abandoned. She also mentioned that the City of Bishop is historic as of 5\96 and she shown a map.

State Representative Stancil said that strongly supports the mayor and citizens of Bishop and the alternative they have requested. He does not feel the RR is usable. He also wanted the number of displacements for Bishop. Told him they are about twenty on the alignment as proposed. He asked about a through movement to the Madison BP. Told that would be handled by a different project, perhaps. Decision might depend upon traffic flow. We would discuss with management. Programming added that if it was decided that another project for this is needed, it should be put in the concept report.

Not in attendance.

Road Design

Asked about the 5 lane section at the beginning of EDS-441(40) and how far it would be taken. Discussion between Tenille District and road design revealed five lane section extends further than Location was aware (past the second bridge). It was decided that it would be better to begin the 44' median after the second bridge which has already been widened to 5 lanes. Asked how many wet lands are on EDS-441(44). Told that on this unit there is no impact with wetlands. Road design asked if all units are on bike route. Answered yes. They also asked about an historic boundary at Rock Eagle 4H camp. Location will look into this. RDC asked to check with historic preservation about the area at Rock Eagle.

AT&T

No conflicts, but heavy presence in Bishop

Traffic Operations

Asked how many bypasses we were connecting to. Answered that we would be connecting to three bypasses. They also asked if we had pulled back far enough to make grades work at intersection near Rock Eagle? Answered yes.

District Offices

No comment.

Federal Resource Agencies

Not in attendance.

Engineering Services

Not in attendance.

Georgia Power

They are heavily impacted on EDS-441(42) & (43). Asked if state would allow placement of relocated facilities on R\W. Road design felt that that would be the case.

Materials and Research

Not in attendance.

Maintenance

Not in attendance.

Planning

Provided need and purpose statement. Explained GRIP and EDS.

Programming

Commented that the high number of displacements called for a re-estimation of R\W costs. We said that the 250' of R\W we show to the public is "the worse case" and a R\W estimate will be requested as soon as we have a "firm" alignment.

Railroad

Not in attendance.

Office of Utilities

Not in attendance.

Schedule

Both projects scheduled to let to construction in late 1999.

Conclusions

Locals are enthusiastic about the projects and they asked do not let "Bishop situation" hold up projects.

RRE/re

Distribution: Wayne Hutto

Ronald Collins/Attn: Warren Bailey Herman Griffin/Attn: Terry Rogers

Jim Kennerly Toni Dunagan Marion Waters **Bobby Mustin Dudley Ellis**

David Meshberger Larry Seabrook Bascombe Hughes Harvey Keepler

Hugh Tyner/Gainesville District Charles Norris/Tenille District

Luke Cousins

DEPARTMENT OF TRANSPORTATION STATE OF GEORGIA OFFICE OF ENVIRONMENT/LOCATION

PROJECT CONCEPT REPORT EDS-441(45) PUTNAM COUNTY P.I. NO. 222580

US Route No.:	441	Date of Report: March 3, 1997
State Route No.:	24	
	RE	COMMENDATION FOR APPROVAL
7/19/97 Date		Ols Hull (State Environmental/Location Engineer
Date		State Road & Airport Design Engineer
Date		State Traffic Operations Engineer
<u>4/1/97</u> Date		Charles W. Mrris, Mr. District Engineer/Tennille
Date		Project Review Engineer

Date

State Bridge & Structural Design Engineer

D.D.T.66

, i. i

DEPARTMENT OF TRANSPORTATI STATE OF GEORGIA

INTERDEPARTMENT CORRESPONDENCE

FILE

EDS-441 (45), Putnam Co.

P.I. No. 222580

OFFICE Traffic Operations

Atlanta, Georgia

DATE

May 9, 1997

Marion G. Waters, III, P.E., State Traffic Operations Engineer

TO

FROM

Wayne Hutto, Assistant Director of Preconstruction

SUBJECT Project Concept Report Review

We have reviewed the concept report on the above project for the proposed widening of SR 24/ US 441 from the Eatonton Bypass to the Morgan county line. The existing two lane roadway will be widened to a four lane section with a 13.6 m grass median. While we believe this concept will improve safety and operational capacity along this section of roadway, we recommend providing for the minimum clear recovery area in the cut sections for a 105 km/h speed design. With this, we find this report satisfactory for approval.

MGW:CKE

Attachment (signature page)

David Studstill CC: James Kennerly Bob Mustin, w/attachment General Files

DEPARTMENT OF TRANSPORTATION STATE OF GEORGIA OFFICE OF ENVIRONMENT/LOCATION

PROJECT CONCEPT REPORT EDS-441(45) PUTNAM COUNTY P.I. NO. 222580

US Route No.:	441	Date of Report: March 3, 1997
State Route No.:	24	
		RECOMMENDATION FOR APPROVAL
7/13/97 Date		State Environmental/Location Engineer
Date		State Road & Airport Design Engineer
<u>5-1297</u> Date		Mulaters III pma State Traffic Operations Engineer
Date		District Engineer/Tennille
Date		Project Review Engineer

Date

State Bridge & Structural Design Engineer

DEPARTMENT OF TRANSPORTATION STATE OF GEORGIA OFFICE OF ROAD AND AIRPORT DESIGN

PROJECT CONCEPT REPORT

IM-75-2(204)
PI NO 712000
MONROE /LAMAR/BUTTS COUNTY
I-75 REHAB. PROJECT

FEDERAL ROUTE NO: I-75 STATE ROUTE NO: 401 GADOT P.I. NO: 712000 Date of Report: APRIL 1, 1997

	RECOMMENDATION FOR APPROVAL
4/14/91 DATE	State Road & Airport Design Engineer
DATE	State Environmental Engineer
DATE 4-18-97 DATE	State Traffic Operations Engineer District Engineer
DATE	State Bridge Engineer
DATE	Project Review Engineer